

Avensis T22

(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	5/100	F15/C
5800	7J15H2	35	5/100	F15/C
5800	7J16H2	35	5/100	F15/C
5800	7,5J17H2	35	5/100	F15/C
6200	6J14H2	38	5/100	F15/C
6200	7J15H2	35	5/100	F15/C
6200	7J16H2	35	5/100	F15/C
6200	7J17H2	35	5/100	F15/C
6800	7J15H2	35	5/100	F15/C
6800	7J16H2	35	5/100	F15/C
6800	7,5J17H2	35	5/100	F15/C
7200	6J14H2	38	5/100	F15/C
7200	6,5J15H2	40	5/100	F15/C
7200	7J16H2	35	5/100	F15/C
7200	7J17H2	35	5/100	F15/C
7300	7J15H2	35	5/100	F15/C
7300	6,5J16H2	35	5/100	F15/C
7300	7J17H2	35	5/100	F15/C
7400	7J16H2	35	5/100	F15/C
7400	7,5J17H2	35	5/100	F15/C
7500	7J16H2	35	5/100	F15/C
7500	7,5J17H2	35	5/100	F15/C
7600	7J16H2	35	5/100	F15/C
7600	7,5J17H2	35	5/100	F15/C
7800	7J16H2	35	5/100	F15/C
7800	7J17H2	35	5/100	F15/C
TECH5	7J15H2	35	5/100	F15/C
TECH5	7J16H2	35	5/100	F15/C
TECH5	7,5J17H2	35	5/100	F15/C
TECH6	7,5J17H2	35	5/100	F15/C
9X	7,5J17H2	35	5/100	F15/C
9GR	7,5J17H2	35	5/100	F15/C

Avensis Typ 445L

(Ø 60.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	42	5/114.3	F38/C
6200	7J17H2	42	5/114.3	F38/C
6800	7,5J17H2	42	5/114.3	F38/C
7200	7J17H2	42	5/114.3	F38/C
7300	7J17H2	42	5/114.3	F38/C
7400	7,5J17H2	42	5/114.3	F38/C
7500	7,5J17H2	42	5/114.3	F38/C
7600	7,5J17H2	42	5/114.3	F38/C
7800	7J17H2	42	5/114.3	F38/C
TECH5	7,5J17H2	42	5/114.3	F38/C
TECH6	7,5J17H2	42	5/114.3	F38/C
9GR	7,5J17H2	42	5/114.3	F38/C

Celica

(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	42	5/100	F15/C
5800	7J15H2	35	5/100	F15/C
5800	7J16H2	35	5/100	F15/C
5800	7,5J17H2	35	5/100	F15/C
6200	6J14H2	42	5/100	F15/C
6200	7J15H2	35	5/100	F15/C
6200	7J16H2	35	5/100	F15/C
6200	7J17H2	35	5/100	F15/C
6800	7J15H2	35	5/100	F15/C
6800	7J16H2	35	5/100	F15/C
6800	7,5J17H2	35	5/100	F15/C
7200	6J14H2	42	5/100	F15/C
7200	6,5J15H2	40	5/100	F15/C
7200	7J16H2	35	5/100	F15/C
7200	7J17H2	35	5/100	F15/C
7300	7J15H2	35	5/100	F15/C
7300	6,5J16H2	35	5/100	F15/C
7300	7J17H2	35	5/100	F15/C
7400	7J16H2	35	5/100	F15/C
7400	7,5J17H2	35	5/100	F15/C
7500	7J16H2	35	5/100	F15/C
7500	7,5J17H2	35	5/100	F15/C
7600	7J16H2	35	5/100	F15/C
7600	7,5J17H2	35	5/100	F15/C
7800	7J16H2	35	5/100	F15/C
7800	7J17H2	35	5/100	F15/C
TECH5	7J15H2	35	5/100	F15/C
TECH5	7J16H2	35	5/100	F15/C
TECH5	7,5J17H2	35	5/100	F15/C
TECH6	7,5J17H2	35	5/100	F15/C
9X	7,5J17H2	35	5/100	F15/C
9GR	7,5J17H2	35	5/100	F15/C

Corolla

(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	6J14H2	38	4/100	F09/C
5700	7J15H2	38	4/100	F09/C
5800	6J14H2	38	4/100	F09/C
5800	7J15H2	38	4/100	F09/C
5800	7J16H2	38	4/100	F09/C
6200	5,5J14H2	38	4/100	F09/C
6200	6J14H2	38	4/100	F09/C
6200	6,5J15H2	42	4/100	F09/C
6200	7J15H2	38	4/100	F09/C
6200	7J16H2	38	4/100	F09/C
6200	7J17H2	38	4/100	F09/C
6800	7J15H2	38	4/100	F09/C
6800	7J16H2	38	4/100	F09/C
7200	6J14H2	38	4/100	F09/C
7200	6,5J15H2	42	4/100	F09/C
7200	7J16H2	38	4/100	F09/C
7200	7J17H2	38	4/100	F09/C
7300	7J15H2	38	4/100	F09/C
7300	6,5J16H2	42	4/100	F09/C
7300	7J17H2	38	4/100	F09/C
7400	7J15H2	38	4/100	F09/C
7400	6,5J16H2	42	4/100	F09/C
7400	7J17H2	38	4/100	F09/C
7800	7J16H2	38	4/100	F09/C
7800	7J17H2	38	4/100	F09/C
TECH5	7J15H2	38	4/100	F09/C
TECH5	7J16H2	38	4/100	F09/C

Avensis Verso

(Ø 60.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/114.3	F38/C
5800	7J16H2	35	5/114.3	F38/C
5800	7,5J17H2	35	5/114.3	F38/C
6200	7J15H2	35	5/114.3	F38/C
6200	7J16H2	35	5/114.3	F38/C
6200	7J17H2	35	5/114.3	F38/C
6800	7J16H2	35	5/114.3	F38/C
6800	7,5J17H2	35	5/114.3	F38/C
7200	6,5J15H2	40	5/114.3	F38/C
7200	7J16H2	35	5/114.3	F38/C
7200	7J17H2	35	5/114.3	F38/C
7200	7,5J18H2	38	5/114.3	F38/C
7200	8J18H2	38	5/114.3	F38/C
7300	7J15H2	35	5/114.3	F38/C
7300	6,5J16H2	45	5/114.3	F38/C
7300	7J17H2	35	5/114.3	F38/C
7300	8J18H2	38	5/114.3	F38/C
7400	7J16H2	42	5/114.3	F38/C
7400	7,5J17H2	35	5/114.3	F38/C
7400	8J18H2	38	5/114.3	F38/C
7500	7J16H2	42	5/114.3	F38/C
7500	7,5J17H2	35	5/114.3	F38/C
7500	8J18H2	38	5/114.3	F38/C
7600	7J16H2	42	5/114.3	F38/C
7600	7,5J17H2	35	5/114.3	F38/C
7600	8J18H2	38	5/114.3	F38/C
7800	7J17H2	35	5/114.3	F38/C
7800	8J18H2	38	5/114.3	F38/C
TECH5	7J15H2	35	5/114.3	F38/C
TECH5	7J16H2	35	5/114.3	F38/C
TECH5	7,5J17H2	35	5/114.3	F38/C
TECH5	8J18H2	38	5/114.3	F38/C
TECH6	7,5J17H2	35	5/114.3	F38/C
TECH6	8J18H2	38	5/114.3	F38/C
9X	7,5J17H2	35	5/114.3	F38/C
9X	8J18H2	38	5/114.3	F38/C
9GR	7,5J17H2	35	5/114.3	F38/C
9GR	8J18H2	38	5/114.3	F38/C

Corolla Verso (Ø 60.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	42	5/114.3	F38/C
5800	7,5J17H2	42	5/114.3	F38/C
6200	7J16H2	42	5/114.3	F38/C
6200	7J17H2	42	5/114.3	F38/C
6800	7J16H2	42	5/114.3	F38/C
6800	7,5J17H2	42	5/114.3	F38/C
7200	7J16H2	42	5/114.3	F38/C
7200	7J17H2	42	5/114.3	F38/C
7200	7,5J18H2	38	5/114.3	F38/C
7200	8J18H2	38	5/114.3	F38/C
7300	6,5J16H2	45	5/114.3	F38/C
7300	7J17H2	42	5/114.3	F38/C
7300	8J18H2	38	5/114.3	F38/C
7400	7J16H2	42	5/114.3	F38/C
7400	7,5J17H2	42	5/114.3	F38/C
7400	8J18H2	38	5/114.3	F38/C
7500	7J16H2	42	5/114.3	F38/C
7500	7,5J17H2	42	5/114.3	F38/C
7500	8J18H2	38	5/114.3	F38/C
7600	7J16H2	42	5/114.3	F38/C
7600	7,5J17H2	42	5/114.3	F38/C
7600	8J18H2	38	5/114.3	F38/C
7600	8J19H2	38	5/114.3	F38/C
7800	7J16H2	42	5/114.3	F38/C
7800	7J17H2	42	5/114.3	F38/C
7800	8J18H2	38	5/114.3	F38/C
TECH5	7J16H2	42	5/114.3	F38/C
TECH5	7,5J17H2	42	5/114.3	F38/C
TECH5	8J18H2	38	5/114.3	F38/C
TECH6	7,5J17H2	42	5/114.3	F38/C
TECH6	8J18H2	38	5/114.3	F38/C
9X	7,5J17H2	42	5/114.3	F38/C
9X	8J18H2	38	5/114.3	F38/C
9X	8J19H2	38	5/114.3	F38/C
9GR	7,5J17H2	42	5/114.3	F38/C
9GR	8J18H2	38	5/114.3	F38/C
9GR	8J19H2	38	5/114.3	F38/C

Hi-Lux Typ N25T (Ø 106.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	8J17H2	20	6/139.7	F70/C
7100	8,5J18H2	20	6/139.7	F70/C
7700	7J16H2	30	6/139.7	F70/C
7700	8J17H2	20	6/139.7	F70/C
7700	8,5J18H2	20	6/139.7	F70/C

Aygo (Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	6J14H2	38	4/100	F55
5800	6J14H2	38	4/100	F55
5800	7J15H2	30	4/100	F55
6200	5,5J14H2	38	4/100	F55
6200	6J14H2	38	4/100	F55
7200	5,5J14H2	38	4/100	F47
7200	6J14H2	38	4/100	F55

Rav 4 Typ XA3(a) (Ø 60.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	42	5/114.3	F38/C
6200	7J17H2	42	5/114.3	F38/C
6800	7,5J17H2	42	5/114.3	F38/C
7200	7J17H2	42	5/114.3	F38/C
7200	7,5J18H2	38	5/114.3	F38/C
7200	8J18H2	38	5/114.3	F38/C
7200	8,5J20H2	35	5/114.3	F38/C
7300	7J17H2	42	5/114.3	F38/C
7300	8J18H2	38	5/114.3	F38/C
7400	7,5J17H2	42	5/114.3	F38/C
7400	8J18H2	38	5/114.3	F38/C
7500	7,5J17H2	42	5/114.3	F38/C
7500	8J18H2	38	5/114.3	F38/C
7600	7,5J17H2	42	5/114.3	F38/C
7600	8J18H2	38	5/114.3	F38/C
7600	8J19H2	38	5/114.3	F38/C
7700-1	8J17H2	35	5/114.3	F38/C
7700-1	8,5J18H2	30	5/114.3	F38/C
7800	7J17H2	42	5/114.3	F38/C
7800	8J18H2	38	5/114.3	F38/C
TECH5	7,5J17H2	42	5/114.3	F38/C
TECH5	8J18H2	38	5/114.3	F38/C
TECH6	7,5J17H2	42	5/114.3	F38/C
TECH6	8J18H2	38	5/114.3	F38/C
9X	7,5J17H2	42	5/114.3	F38/C
9X	8J18H2	38	5/114.3	F38/C
9X	8J19H2	38	5/114.3	F38/C
9GR	7,5J17H2	42	5/114.3	F38/C
9GR	8J18H2	38	5/114.3	F38/C
9GR	8J19H2	38	5/114.3	F38/C

Auris

(Ø 60.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/114.3	F38/C
5800	7J16H2	42	5/114.3	F38/C
5800	7,5J17H2	42	5/114.3	F38/C
6200	7J15H2	35	5/114.3	F38/C
6200	7J16H2	42	5/114.3	F38/C
6200	7J17H2	42	5/114.3	F38/C
6800	7J16H2	42	5/114.3	F38/C
6800	7,5J17H2	42	5/114.3	F38/C
7200	6,5J15H2	40	5/114.3	F38/C
7200	7J16H2	42	5/114.3	F38/C
7200	7J17H2	42	5/114.3	F38/C
7200	7,5J18H2	38	5/114.3	F38/C
7200	8J18H2	38	5/114.3	F38/C
7200	8,5J20H2	35	5/114.3	F38/C
7300	7J15H2	35	5/114.3	F38/C
7300	6,5J16H2	45	5/114.3	F38/C
7300	7J17H2	42	5/114.3	F38/C
7300	8J18H2	38	5/114.3	F38/C
7400	7J16H2	42	5/114.3	F38/C
7400	7,5J17H2	42	5/114.3	F38/C
7400	8J18H2	38	5/114.3	F38/C
7500	7J16H2	42	5/114.3	F38/C
7500	7,5J17H2	42	5/114.3	F38/C
7500	8J18H2	38	5/114.3	F38/C
7600	7J16H2	42	5/114.3	F38/C
7600	7,5J17H2	42	5/114.3	F38/C
7600	8J18H2	38	5/114.3	F38/C
7600	8J19H2	38	5/114.3	F38/C
7800	7J16H2	42	5/114.3	F38/C
7800	7J17H2	42	5/114.3	F38/C
7800	8J18H2	38	5/114.3	F38/C
TECH5	7J15H2	35	5/114.3	F38/C
TECH5	7J16H2	42	5/114.3	F38/C
TECH5	7,5J17H2	42	5/114.3	F38/C
TECH5	8J18H2	38	5/114.3	F38/C
TECH6	7,5J17H2	42	5/114.3	F38/C
TECH6	8J18H2	38	5/114.3	F38/C
9X	7,5J17H2	42	5/114.3	F38/C
9X	8J18H2	38	5/114.3	F38/C
9X	8J19H2	38	5/114.3	F38/C
9GR	7,5J17H2	42	5/114.3	F38/C
9GR	8J18H2	38	5/114.3	F38/C
9GR	8J19H2	38	5/114.3	F38/C

Yaris

(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	5,5J13H2	38	4/100	F09/C
5700	6J14H2	38	4/100	F09/C
5700	7J15H2	38	4/100	F09/C
5800	6J14H2	38	4/100	F09/C
5800	7J15H2	38	4/100	F09/C
5800	7J16H2	38	4/100	F09/C
6200	5,5J14H2	38	4/100	F09/C
6200	6J14H2	38	4/100	F09/C
6200	6,5J15H2	42	4/100	F09/C
6200	7J15H2	38	4/100	F09/C
6200	7J16H2	38	4/100	F09/C
6200	7J17H2	38	4/100	F09/C
6800	7J15H2	38	4/100	F09/C
6800	7J16H2	38	4/100	F09/C
7200	5,5J14H2	38	4/100	F33/C
7200	6J14H2	38	4/100	F09/C
7200	6,5J15H2	42	4/100	F09/C
7200	7J16H2	38	4/100	F09/C
7200	7J17H2	38	4/100	F09/C
7300	7J15H2	38	4/100	F09/C
7300	6,5J16H2	42	4/100	F09/C
7300	7J17H2	38	4/100	F09/C
7800	7J16H2	38	4/100	F09/C
7800	7J17H2	38	4/100	F09/C
TECH5	7J15H2	38	4/100	F09/C
TECH5	7J16H2	38	4/100	F09/C

RAV 4

(Ø 60.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/114.3	F38/C
5800	7,5J17H2	35	5/114.3	F38/C
6200	7J16H2	35	5/114.3	F38/C
6200	7J17H2	35	5/114.3	F38/C
6800	7J16H2	35	5/114.3	F38/C
6800	7,5J17H2	35	5/114.3	F38/C
7100-1	8J17H2	30	5/114.3	F38/C
7100-1	8,5J18H2	30	5/114.3	F38/C
7200	7J16H2	35	5/114.3	F38/C
7200	7J17H2	35	5/114.3	F38/C
7300	6,5J16H2	45	5/114.3	F38/C
7300	7J17H2	45	5/114.3	F38/C
7400	7J16H2	42	5/114.3	F38/C
7400	7,5J17H2	35	5/114.3	F38/C
7400	8J18H2	30	5/114.3	F38/C
7500	7J16H2	42	5/114.3	F38/C
7500	7,5J17H2	35	5/114.3	F38/C
7500	8J18H2	30	5/114.3	F38/C
7600	7J16H2	42	5/114.3	F38/C
7600	7,5J17H2	35	5/114.3	F38/C
7600	8J18H2	30	5/114.3	F38/C
7700-1	8J17H2	30	5/114.3	F38/C
7700-1	8,5J18H2	30	5/114.3	F38/C
7800	7J16H2	42	5/114.3	F38/C
7800	7J17H2	35	5/114.3	F38/C
7800	8J18H2	30	5/114.3	F38/C
TECH5	7J16H2	35	5/114.3	F38/C
TECH5	7,5J17H2	35	5/114.3	F38/C
TECH6	7,5J17H2	35	5/114.3	F38/C
TECH6	8J18H2	30	5/114.3	F38/C
9X	7,5J17H2	35	5/114.3	F38/C
9GR	7,5J17H2	35	5/114.3	F38/C

Avensis T25
(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/100	F15/C
5800	7J16H2	35	5/100	F15/C
5800	7,5J17H2	35	5/100	F15/C
6200	7J15H2	35	5/100	F15/C
6200	7J16H2	35	5/100	F15/C
6200	7J17H2	35	5/100	F15/C
6800	7J15H2	35	5/100	F15/C
6800	7J16H2	35	5/100	F15/C
6800	7,5J17H2	35	5/100	F15/C
7200	6,5J15H2	40	5/100	F15/C
7200	7J16H2	35	5/100	F15/C
7200	7J17H2	35	5/100	F15/C
7200	7,5J18H2	38	5/100	F15/C
7200	8J18H2	38	5/100	F15/C
7300	7J15H2	35	5/100	F15/C
7300	6,5J16H2	35	5/100	F15/C
7300	7J17H2	35	5/100	F15/C
7300	8J18H2	38	5/100	F15/C
7400	7J16H2	35	5/100	F15/C
7400	7,5J17H2	35	5/100	F15/C
7400	8J18H2	38	5/100	F15/C
7500	7J16H2	35	5/100	F15/C
7500	7,5J17H2	35	5/100	F15/C
7500	8J18H2	38	5/100	F15/C
7600	7J16H2	35	5/100	F15/C
7600	7,5J17H2	35	5/100	F15/C
7600	8J18H2	38	5/100	F15/C
7600	8J19H2	35	5/100	F15/C
7800	7J16H2	35	5/100	F15/C
7800	7J17H2	35	5/100	F15/C
7800	8J18H2	38	5/100	F15/C
TECH5	7J15H2	35	5/100	F15/C
TECH5	7J16H2	35	5/100	F15/C
TECH5	7,5J17H2	35	5/100	F15/C
TECH5	8J18H2	38	5/100	F15/C
TECH6	7,5J17H2	35	5/100	F15/C
TECH6	8J18H2	38	5/100	F15/C
9X	7,5J17H2	35	5/100	F15/C
9X	8J18H2	38	5/100	F15/C
9X	9J18H2	35	5/100	F15/C
9X	8J19H2	38	5/100	F15/C
9X	9J19H2	35	5/100	F15/C
9GR	7,5J17H2	35	5/100	F15/C
9GR	8J18H2	38	5/100	F15/C
9GR	9J18H2	35	5/100	F15/C
9GR	8J19H2	38	5/100	F15/C
9GR	9J19H2	35	5/100	F15/C

Hi - Ace , Pick up
(Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J15H2	20	6/139.7	F58/C
7100	8J15H2	20	6/139.7	F58/C
7100	7J16H2	20	6/139.7	F58/C
7100	8J16H2	20	6/139.7	F58/C
7100	8J17H2	20	6/139.7	F58/C
7100	8,5J18H2	20	6/139.7	F58/C
7700	8J17H2	20	6/139.7	F58/C
7700	8,5J18H2	20	6/139.7	F58/C

Landcruiser J80
(Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100*	7J15H2	-15	6/139.7	F58/C
7100*	8J15H2	-15	6/139.7	F58/C
7100*	7J16H2	-15	6/139.7	F58/C
7100*	8J16H2	-15	6/139.7	F58/C
7100	8J17H2	0	6/139.7	F58/C
7100	8,5J18H2	0	6/139.7	F58/C
7700	7J16H2	0	6/139.7	F58/C
7700	8J17H2	0	6/139.7	F58/C
7700	8,5J18H2	0	6/139.7	F58/C

*Attenzione: verificare sporgenza ruote prima del montaggio

*Achtung: reifenflankenabdeckung vor Montage beachten

*Attention: Check wheel protrusion before fitting

*Atención: verifiquen antes del montaje que las llantas no sobresalgan de la carrozería

Landcruiser J90
(Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J16H2	20	6/139.7	F58/C
7100	8J16H2	20	6/139.7	F58/C
7100	8J17H2	20	6/139.7	F58/C
7100	8,5J18H2	20	6/139.7	F58/C
7700	7J16H2	0	6/139.7	F58/C
7700	8J17H2	0	6/139.7	F58/C
7700	8,5J18H2	20	6/139.7	F58/C

Landcruiser J12
(Ø 106.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100-1	8J17H2	22	6/139.7	F58/C
7100-1	8,5J18H2	22	6/139.7	F58/C
7700	8J17H2	20	6/139.7	F58/C
7700	8,5J18H2	20	6/139.7	F58/C

Prius Typ HW2
(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
6200	7J16H2	42	5/100	F15/C
7200	7J16H2	42	5/100	F15/C
7300	6,5J16H2	45	5/100	F15/C
7500	7J16H2	42	5/100	F15/C
7600	7J16H2	42	5/100	F15/C
7800	7J16H2	42	5/100	F15/C
TECH5	7J16H2	42	5/100	F15/C

4 - Runner,Hi-Lux Typ N1/8/11
(Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J15H2	0	6/139.7	F58/C
7100	8J15H2	0	6/139.7	F58/C
7100	7J16H2	0	6/139.7	F58/C
7100	8J16H2	0	6/139.7	F58/C
7100	8J17H2	0	6/139.7	F58/C
7100	8,5J18H2	0	6/139.7	F58/C
7700	7J16H2	0	6/139.7	F58/C
7700	8J17H2	0	6/139.7	F58/C
7700	8,5J18H2	0	6/139.7	F58/C

Landcruiser J10
GX 100,VX 100
(Ø 110.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	8J16H2	20	5/150	F60/C
7100	8J17H2	35	5/150	F60/C
7100	8,5J18H2	35	5/150	F60/C
7700	8J17H2	34	5/150	F60/C
7700	8,5J18H2	34	5/150	F60/C

Hi-Lux Typ N16/17
(Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	8J16H2	20	6/139.7	F58/C
7100	8J17H2	20	6/139.7	F58/C
7100	8,5J18H2	20	6/139.7	F58/C
7700	8J17H2	20	6/139.7	F58/C
7700	8,5J18H2	20	6/139.7	F58/C